. 1/7

Figure 1

•				overed After	-xpood.o	10 100171	gent							
		Staphyloc	occus aur	eus										
Test Agent	Initial counts	Results and Log <sub>10</sub> reduction												
		30 sec	Reduction	60 sec	Reduction	5 min	Reduction							
20% AMC.	8.1 E+06	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9							
1% ZnEDTA	8.1 E+06	5.00E+06 5.70E+06	0.2	6.30E+06 6.50E+06	0.1	6.20E+06 5.40E+06	0.1							
0.2% CPC	8.1 E+06	1.00E+00	0.2 6.9	1.00E+00	0.1 6.9	1.00E+00	0.2 6.9							
0.02% CPC	8.1E+06	1.00E+00 1.80E+03	6.9 3.7	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9							
		6.00E+02	4.1	1.00E+00	6.9	1.00E+00	6.9							
0.002% CPC	8.1E+06	5.60E+04 7.30E+04	2.2 2.0	3.70E+04 3.50E+04	2.3 2.4	1.00E+02 1.60E+02	4.9 4.7							
9.8% Isopropyl Alcohol	8.1E+06	6.80E+06 8.40E+06	0.1 0.0	7.30E+06 6.10E+06	0.0	5.50E+06 5.90E+06	0.2							
1% ZnEDTA, 0.2% CPC, 9.8%	8.1 E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	0.1 6.9							
IPA 1% ZnEDTA, 0.2%CPC 0.2%	8.1 E+06	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9							
CPC, 9.8% IPA; 1% ZnEDTA.	8.1 E+06	1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9							
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9							
0.02% CPC, 9.8% IPA	8.1 E+06	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9							
1% ZnEDTA, 0.02% CPC	8.1 E+06	2.40E+03 2.60E+03	3.5 3.5	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9							
0.02% CPC, 9.8% IPA	8.1 E+06	1.00E+00 1.00E+00	6.9	1.00E+00 1.00E+00	6.9	1.00E+00 1.00E+00	6.9							
1% ZnEDTA, 0.002% CPC,	8.1 E+06	1.00E+00	6.9 6.9	1.00E+00	6.9 6.9	1.00E+00	6.9 6.9							
9.8% IPA 1% ZnEDTA, 0.002% CPC	8.1 E+06	1.00E+00 1.00E+02	6.9 4.9	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9 6.9							
nvi		6.00E+01	5.1	1.00E+00	6.9	1.00E+00	6.9							
0.002% CPC, 9.8% IPA	8.1E+06	1.80E+04 9.20E+03	2.7 2.9	6.10E+02 8.80E+02	4.1 4.0	1.00E+00 1.00E+00	6.9 6.9							
100% Hibiclens	8.1 E+06	1.00E+00 1.00E+00	6.9 6.9	1.00E4-00 1.00E+00	6.9	1.00E+00 1.00E+00	6.9							
100% Betadine	8.1E+06	1.00E+00 1.00E+00	6.9	1.00E+00 1.00E+00	6.9 6.9 6.9	1.00E+00 1.00E+00	6.9							

Figure 2

Number of 0	CFU per r	nl Recov	ered After	Exposure	to Test A	gent					
Pseudomonas aeruginosa											
Test Agent	Initial counts	÷	Res	sults and	Log <sub>10</sub> redu	ction					
		30 sec	Reduction	60 sec	Reduction	5 min	Reduction				
20% AMC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6				
1% ZnEDTA	4.2E+06	2.60E+06 1:50E+06	0.2 0.4	1.60E+06 1.00E+06	0.4 0.6	1.70E+06 1.80E+06	0.4 0.4				
0.2% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6				
0.02% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6				
0.002% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6				
9.8% Isopropyl Alcohol	4.2E+06	1.30E+06 1.30E+06	0.5 0.5	1.30E+06 1.60E+06	0.5 0.4	1.40E+06 1.40E+06	0.5 0.5				
1% ZnEDTA, 0.2% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00		1.00E+00 1.00E+00	6.6 6.6				
1% ZnEDTA, 0.2% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00		1.00E+00 1.00E+00	6.6 6.6				
0.2% CPc, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00		1.00E+00 1.00E+00	6.6 6.6				
1% ZnEDTA, 0.02% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6 6.6				
1% ZnEDTA, 0.02% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00		1.00E+00 1.00E+00	6.6 6.6				
0.02% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6 6.6				
1% ZnEDTA, 0.002% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6 6.6				
1% ZnEDTA, 0.002% CPC	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6				
0.002% CPC, 9.8% IPA	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6				
100% Hibiclens	4.2E+06	1.00E+00 1.00E+00	6.6 6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6				
100% Betadine	4.2E+06	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6	1.00E+00 1.00E+00	6.6				

Figure 3

Number	of CFU per n	nl Recove	red After E	Exposure	to Test Ag	ent	
		Escher	richia coli				
Test Agent	Initial counts		Res	ults and l	og <sub>10</sub> reduc	tion	***************************************
		30 sec	Reduction	60 sec	Reduction	5 min	Reduction
20% AMC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
		1.00E+00	6.8	-1.00E+00	6.8	1.00E+00	6.8
1% ZnEDTA	5.8E+06	2.60E+06	0.3	2.70E+06	0.3	2.30E+06	0.4
	•	2.20E+06	0.4	2.30E+06	0.4	2.30E+06	0.4
0.2% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
0.02% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
0.002% CPC	5.8E+06	3.50E+04	2.2	5.80E+02	4.0	1.30E+02	4.6
		4.60E+04	2.1	7.10E+02	3.9	5.90E+02	4.0
9.8% Isopropyl Alcohol	5.8E+06	1.30E+06	0.6	1.90E+06	0.5	1.90E+06	0.5
		1.60E+06	0.6	1.50E+06	0.6	1.80E+06	0.5
1% ZnEDTA, 0.2% CPC,	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
9.8% IPA		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
1% ZnEDTA, 0.2% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
0.2% CPC, 9.8% IPA	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
•	<u> </u>	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
1% ZnEDTA, 0.02% CPC,	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
9.8% IPA		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
1% ZnEDTA, 0.02% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
•		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
0.02% CPC, 9.8% IPA	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
1% ZnEDTA, 0.002% CPC,	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
9.8% IPA		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
1% ZnEDTA, 0.002% CPC	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
0.002% CPC, 9.8% IPA	5.8E+06	3.70E+04	2.2	1.20E+02		1.50E+01	5.6
		3.50E+04		1.20E+02	4.7	1.50E+01	5.6
100% Hibiclens	5.8E+06	1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
· ; ·		1.00E+00	6.8	1.00E+00	6.8	1.00E+00	6.8
100% Betadine	5.8E+06	1.00E+00		1.00E+00	6.8	1.00E+00	6.8
•		1.00E+00		1.00E+00		1.00E+00	6.8

Figure 4

Number of CFU per ml Recovered After Exposure to Test Agent											
Trichophyton rubrum											
Test Agent	Initial counts		Re	sults and l	Log <sub>10</sub> reduc	tion					
		30 sec	Reduction	60 sec	Reduction	10 min	Reduction				
20% AMC	2.2E+06	1.30E+03	3.2	1.40E+02	4.2	1.00E+00	6.3				
		1.30E+03	3.2	8.00E+02	3.4	1.00E+00	6.3				
1% ZnEDTA	2.2E+06	4.50E+05	0.7	6.00E+05	0.6	4.60E+05	0.7				
		4.50E+05	0.7	4.80E+05	0.7	4.10E+05	0.7				
0.2% CPC	2.2E+06	1.60E+03	3.1	8.00E+01	4.4	1.00E+00	6.3				
		4.70E+02	3.7	3.50E+01	4.8	1.00E+00	6.3				
0.02% CPC	2.2E+06	8.20E+03	2.4	2.20E+03	3.0	1.00E+00	6.3				
		1.30E+04	2.2	3.80E+03	2.8	1.00E+00	6.3				
0.002% CPC	2.2E+06	2.60E+05	0.9	1.20E+05	1.3	5.10E+03	2.6				
		2.10E+05	1.0	1.30E+05	1.2	5.50E+03	2.6				
9.8% Isopropyl Alcohol (IPA)	2.2E+06	2.60E+05	0.9	3.40E+05	0.8	2.50E+05	0.9				
	ļ.·	4.80E+05	0.7	3.70E+05	0.8	3.90E+05	0.8				
1% ZnEDTA, 0.2% CPC, 9.8%	2.2E+06	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3				
IPA		1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3				
1% ZnEDTA, 0.2% CPC	2.2E+06	6.90E+03	2.5	4.50E+02	3.7	1.00E+00	6.3				
		4.70E+03	2.7	1.10E+03	3.3	1.00E+00	6.3				
0.2% CPC, 9.8% IPA	2.2E+06	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3				
	l	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3				
1% ZnEDTA, 0.02% CPC,	2.2E+06	5.50E+04	1.6	4.70E+03	2.7	1.00E+00	6.3				
9.8% IPA		3.90E+04	1.8	1.10E+04	2.3	1.00E+00	6.3				
1% ZnEDTA, 0.02% CPC	2.2E+06	7.60E+03	2.5	3.90E+03	2.8	1.00E+00	6.3				
		1.40E+04	2.2	4.30E+03	2.7	1.00E+00	6.3				
0.02% CPC, 9.8% IPA	2.2E+06	1.50E+03	3.2	2.20E+02	4.0	1.00E+00	6.3				
40/ = 50=		1.20E+03	3.3	2.70E+02	3.9	1.00E+00	6.3				
1% ZnEDTA, 0.002% CPC,	2.2E+06	3.60E+04	1.8	2.30E+04	2.0	3.70E+02	3.8				
9.8% IPA 1% ZnEDTA, 0.002% CPC		4.70E+04	1.7	2.10E+04	2.0	1.30E+02	4.2				
1% ZIIED1A, 0.002% CPC	2 .2E+06	1.80E+05	1.1	9.10E+04	1.4	1.20E+04	2.3				
0.002% CPC, 9.8% IPA	2.2E+06	2.60E+05	0.9	2.20E+04	2.0	1.50E+04	2.2				
0.00270 OF C, 3.078 IFA	2.25700	3.50E+05 3.40E+05	0.8	5.50E+04 6.00E+04	1.6	7.80E+02	3.5				
100% Hibiclens	2.2E+06	4.00E+04	0.8 1.7	7.30E+04	1.6 1.5	4.10E+02 4.10E+02	3.7 3.7				
	2.22.00	7.00E+04	1.5	3.90E+04	1.8	1.50E+03	3.7				
100% Betadine	2.2E+06	1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3				
		1.00E+00	6.3	1.00E+00	6.3	1.00E+00	6.3				
Amphotericin B (2.5mg/L)	2.2E+06	4.50E+05	0.7	4.30E+05	0.7	1.80E+05	1.1				
		4.70E+05	0.7	3.70E+05	0.8	2.10E+05	1.0				

Figure 5

Number o	of CFU per r	nl Recove	red After E	Exposure	to Test Ag	ent	
		Candida	a albicans				
Test Agent	Initial counts		Res	ults and I	_og₁₀ reduc	tion	
	·	30 sec	Reduction	60 sec	Reduction	5 min	Reduction
20% AMC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
1% ZnEDTA	7.4E+06	5.70E+06	0.1	5.40E+06	0.1	5.10E+06	0.2
0.004		6.40E+06		4.50E+06	0.2	4.90E+06	0.2
0.2% CPC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
0.02% CPC	7.45.00	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
0.02% CPC	7.4E+06	1.00E+00 1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
0.002% CPC	7.4E+06	2.00E+01	6.9 5.6	1.00E+00 1.00E+00	6.9 6.9	1.00E+00 1.00E+00	6.9
	7.42700	4.00E+01	5.0 5.3	1.00E+00	6.9	1.00E+00	6.9 6.9
9.8% Isopropyl Alcohol (IPA)	7.4E+06	3.20E+06	0.4	3.90E+06	0.3	3.70E+06	0.3
	1.12.00	3.50E+06	0.3	3.90E+06	0.3	3.90E+06	0.3
1% ZnEDTA, 0.2% CPC,	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
9.8% IPA		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
1% ZnEDTA, 0.2% CPC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
0.2% CPC, 9.8% IPA	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
1% ZnEDTA, 0.02% CPC.	7.4E+06	2.60E+02	4.5	9.00E+01	4.9	1.00E+00	6.9
9.8% IPA		3.60E+02	4.3	1.30E+02	4.8	2.50E+01	5.5
1% ZnEDTA, 0.02% CPC	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
0.02% CPC, 9.8% IPA	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
1% ZnEDTA, 0.002% CPC,	7.4E+06	6.20E+02	4.1	1.60E+02	4.7	5.50E+01	5.1
9.8% IPA		4.50E+02	4.2	2.60E+02	4.5	1.00E+01	5.9
1% ZnEDTA, 0.002% CPC	7.4E+06	6.10E+02	4.1	3.70E+02	4.3	1.00E+00	6.9
		1.40E+03	3.7	6.10E+02	4.1	5.50E+01	5.1
0.002% CPC, 9.8% IPA	7.4E+06	1.50E+03	3.7	3.00E+01	5.4	1.00E+00	6.9
		1.90E+03	3.6	2.50E+01	5.5	1.00E+00	6.9
100% Hibiclens	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
<u> </u>		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
100% Betadine	7.4E+06	1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
•		1.00E+00	6.9	1.00E+00	6.9	1.00E+00	6.9
Fluconazole (2mg/ml)	7.4E+06	3.10E+06	0.4	3.40E+06	0.3	2.70E+06	0.4
		3.20E+06	0.4	3.10E+06	0.4	2.60E+06	0.5

V			씸	3.6	3.4	0.5	0.3	4.3		3.4	3.4	3.3	3.3	1.3	1:3	3.2	3.2	5.1	5.0	3.2	3.2	3.7	3.6	3.3	3.3	3.5	3.1	3.0	3.0	3.1	3.1	3.2		6.1	6.1	6.1	6.1
			24 hr	3.50E+02	5.00E+02	4.70E+05	6.60E+05	7.00E+01	3.00E+01	5.00E+02	6.00E+02	7.60E+02	7.50E+02	7.40E+04	7.00E+04	8.50E+02	9.00E+02	1.00E+01	1.50E+01	9.00E+02	9.60E+02	3.00E+02	3.40E+02	7.80E+02	6.90E+02	9.80E+02	1.10E+03	1.40E+03	1.50E+03	1.20E+03	1.10E+03	9.00E+02	8.60E+02	1,00E+00	1.00E+00	1.00E+00	1.00E+00
 _	l		LR	3.1	3.1	0.1	0.1	3.2	3.2	3.2	2.9	2.9	3.1	9.0	0.5	2.8	2.6	3.0	3.0	2.9	3.0	3.1	3.0	3.2	3.2	3.0	3.0	2.8	2.8	3.0	3.1	3.1	3.1	4.3	4.3	6.1	6.1
			3 hr	1.20E+03	1.10E+03	1.20E+06	1.20E+06	8.60E+02	8.00E+02	9.80E+02	1.90E+03	1.70E+03	1.00E+03	3.50E+05	4.00E+05	2.10E+03	3.20E+03	1.40E+03	1.30E+03	1.60E+03	1.40E+03	1.10E+03	1.50E+03	9.40E+02	9.60E+02	1.30E+03	1.50E+03	2.40E+03	2.20E+03	1.40E+03	1.20E+03	1.10E+03	1.10E+03	6.50E+01	7.00E+01	1.00E+00	1.00E+00
##		8	뫼	3.0	3.1	0.0	0.0	3.2	3.2	2.9	3.0	2.7	2.8	4.0	0.5	2.6	2.8	3.0	2.9	2.9	2.9	2.9	3.0	3.2	3.2	2.9	2.9	2.7	2.7	2.9	2.9	3.0	3.2	3.6		6.1	6.1
Recovered After Exposure to Test Agent		Results and Log <sub>10</sub> reduction (LR)	2 hr	1.30E+03	1.20E+03	1.30E+06	1.30E+06	9.10E+02	8.60E+02	1.60E+03	1.50E+03	2.60E+03	2.00E+03	5.40E+05	4,00E+05	3.40E+03	3.40E+03	1.30E+03	1.70E+03	1.60E+03	1.70E+03	1.60E+03	1.50E+03	9.60E+02	9.10E+02	1.60E+03	1.70E+03	2.60E+03	2.60E+03	1.60E+03	1.60E+03	1.30E+03	9.80E+02	3.60E+02	6.70E+02	1.00E+00	1.00E+00
sure to		nd Log	LR	3.0	3.0	0.0	0.0	3.2	3.2	2.7	2.7	2.2	2.3	0.0	0.0	2.6	2.8	2.7	2.7	3.0	2.9	2.7	2.7	3.1	3.1	2.9	2.9	2.7	2.7	2.9	2.8	2.8	2.9	2.7	2.8	4.7	4.7
 After Expos	Otilis	Results a	1 hr	1.30E+03	1.40E+03	1.30E+06	1.30E+06	8.70E+02	8.90E+02	2.80E+03	3.10E+03	9.00E+03	7.30E+03	1,40E+06	1.50E+06	3.40E+03	3.60E+03	2.60E+03	2.80E+03	1.50E+03	1.70E+03	2:50E+03	2.50E+03	1.10E+03	1.00E+03	1.70E+03	1.80E+03		2.60E+03	1.90E+03	2.10E+03	2.00E+03	1.90E+03		2.40E+03	3.00E+01	2.50E+01
ered /	Bacillus subtilis		LR		3.0	0.0	0.0	3.0	3.0	2.6	2.6	0.5	0.6	0.1	0.0	2.6	2.6	2.7	2.6	2.8	2.8	2.7	2.7	2.6	2.6	1.6	1.6	2.6	2.6	1.6	1.6	1.6	1.7	1.4	1.3	2.9	2.7
per mL Recov	Bacill		10 min	1.40E+03	1.30E+03	1.30E+06	1.30E+06	1.50E+03	1.50E+03	3.40E+03	3.20E+03	4.10E+05	3.40E+05	1.20E+06	1.30E+06	3.30E+03	3.30E+03	3.10E+03	3.40E+03	2.00E+03	2.20E+03		2.80E+03		3.50E+03	3.50E+04	3.40E+04	3.40E+03	3.60E+03	3.60E+04	3.30E+04	3.20E+04	2.60E+04	6.10E+04	6.40E+04	1.80E+03	3.00E+03
	·		LR	1.6	1.4	0.0	0.0	1.5	1.6	9.0	0.5	4.0	0.4	0.0	0.0	1.5	1.6	1.1	1.2	1.6	1.5	6'0	9.0	9.0	9.0	9.0	0.6	0.4	0.5	5.0	0.5	9.0	9.0	1.3	1.3	2.4	2.4
 mber of CFU	٠.	:: ·	1 min	3.30E+04	5.80E+04	1.40E+06	1.30E+06	4.60E+04	3.80E+04	3.60E+05	4.20E+05	5.70E+05	5.70E+05	1,40E+06	1.40E+06	4.20E+04	3.30E+04	1.00E+05	9.80E+04	3.70E+04	4.90E+04	1.90E+05	2.00E+05	3.30E+05	3.20E+05	3.30E+05	3.80E+05	5.00E+05	4.10E+05	4.00E+05	4.80E+05	3.70E+05	3.50E+05	7.00E+05	6.80E+04	5.60E+03	6.20E+03
mnN .			Initial Counts	1.4E+08		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06		1.4E+06	•	1.4E+08		1.4E+06		1.4E+06		1.4E+06	
			Test Agent	20% AMC		1% ZnEDTA		0.2% CPC		0.02% CPC		0.002% CPC		9.8% Isopropyl alcohol		1% ZhEDTA, 0.2% CPC	9.8% Isopropyl alcohol	1% ZnEDTA	.0.2% CPC	9.8% Isopropyl alcohol	0.2% CPC	1% ZnEDTA, 0.02% CPC	9.8% Isopropyl alcohol	1% ZnEDTA	0.02% CPC	9.8% Isopropyl alcohol	0.02% CPC	1% ZnEDTA, 0.002% CPC	9.8% Isopropyl alcohol	1% ZnEDTA	0.002% CPC	9.8% Isopropyl alcohol	0.002% CPC	100% Hibiciens		100% AMC	

Figure 7

Challenge Microorganism	Test Agent	Exposure Time	Avg. CFU	Confirmation Coun (Avg. CFU)					
S. aureus	20% AMC	≤30 seconds	58						
		30 minutes	62	·					
	100% Hibiclens	≤30 seconds	61	62					
		30 minutes	61	62					
	100% Betadine	≤30 seconds	62						
		30 minutes	56						
E. coli	20% AMC	≤30 seconds	41						
		30 minutes	41						
	100% Hibiclens	≤30 seconds	45	43					
•		30 minutes	43	. 70					
	100% Betadine	≤30 seconds	42	(					
<del></del>		30 minutes	42						
T. rubrum	20% AMC	≤30 seconds	17						
		30 minutes	15						
	100% Hibiclens	≤30 seconds	15						
		30 minutes 15							
	100% Betadine	≤30seconds	14	16					
		30 minutes	15						
	Amphotericin B	≤30 seconds	16						
	2.5 mg/L	30 minutes	14						